

# EQUIPMENT

EQT | LPX | GDD | DEC | DET | HDT | DSA



**DIAMOND C**



Do Work. Love Strong.

# OUR STORY.



35 years ago a young East Texas couple embarked on a journey that at the time was merely a means to put food on the table for their growing family. Unbeknownst to them, their nature would have an endless impact on the business they would create.

**LOVE STRONG.** From 1981-1984 Kim Crabb worked for a local trailer manufacturer that ultimately went out of business leaving customers without product and workers without a job. With Kim's heart and desire to positively impact people, she embraced Mike's idea to start their own trailer business. Needless to say, they were all in and Diamond C was born.

**DO WORK.** Mike's construction and auto/body background, combined with his grit, knack for quality and resolve to improve customer experience through innovation, quickly set the stage for Diamond C to become a bold brand about much more than just building trailers.

Today, Diamond C is still a family owned and operated company that continues striving to produce innovative, feature-rich trailers. Thus allowing the company to live out its purpose of promoting the well being and success of its team members, customers and communities.

*#BeTheDifference*

*#DoWorkLoveStrong*

## Equipment Trailers

---

Engineered to take a commercial user beating, our flatbed equipment trailers, tilt trailers, deck-over construction trailers, and skid steer trailers are ideal for your heavy duty jobs that demand superior strength and durability. Keep your equipment on the move with Diamond C.





Model: HDT



Model: LPX



Model: DEC

# MORE OF WHAT YOU WANT.



SILVER (standard)



BLACK



TWO TONE ALUMINUM



24,000 GVWR PACKAGE w/ ALUMINUM WHEELS & 3/16" SUPER HD FENDERS



## ASSURANCE

We stand behind our product. Diamond C Trailers come with a 3 year structure warranty.



HD V-TONGUE LID



**BLACKWOOD**

RUBBER INFUSED LUMBER  
PATENT PENDING

BLACKWOOD RUBBER INFUSED LUMBER



24" WIDE HD FLIP-KNEE RAMPS



MAX RAMPS (AVAILABLE ON MODEL LPX)



**Genuine Lippert Super Lube Axles**

For optimal tire wear and longevity, we use only Cambered Axles.

Please contact your authorized Diamond C dealer for questions, additional options, or additional specifications.  
OR visit [www.diamondc.com](http://www.diamondc.com) to build a trailer to fit your needs.



Model: LPX

SEE THE DIFFERENCE

SEE THE DIFFERENCE

SEE THE DIFFERENCE

SEE THE DIFFERENCE

**SEE THE DIFFERENCE**



Model: EQT (Shown with Gooseneck Package)

Our mission is to ensure that each of our trailers are exceptionally durable, beautiful, and enduring.

We strive for extraordinary trailers that are built to last.



Model: DET

# POWDER COAT

## STANDARD COLORS



BLACK



WHITE



RED



CEMENT  
GRAY



METALLIC  
GRAY



METALLIC  
SILVER



METALLIC  
MOCHA



METALLIC  
BLUE



COMMERCIAL  
YELLOW



TRACTOR  
GREEN



INDUSTRIAL  
ORANGE



LIME  
GREEN

## SPECIAL COLORS



### Premium Difference Maker Paint Colors

We partnered with Sherwin Williams to develop our own custom designed powder coat finishing system that provides long-lasting, rugged, and beautiful trailer finishes.





## EQT

### Heavy Duty Equipment Trailer

#### Standard Features

- **AVAILABLE SIZES** - 16'x 82", 18'x 82", 20'x 82", 22'x 82", 24'x 82"
- **GVWR** - 14,000 lb
- **AXLES** - 2 - 7,000 lb Super Lube , Self-Adjust Electric Brakes
- **BRAKES** - Electric Drum
- **CHARGER** - 110V Samp Charger Standard w/ Power Tilt Option
- **COUPLER** - 2-5/16" - 15,000 lb Adjustable Cast
- **CROSS-MEMBERS** - 3" Channel on 16" Centers
- **FENDERS** - 14 ga Teardrop, Diamond Plate, Bolt-On
- **FRAME** - 6" Channel
- **JACK** - 7,000 lb Drop-Leg Jack (for Bumper-Pull)
- **RAMPS** - 60" Rear Slide-In (3" Channel)
- **TIRES** - ST235/80R16 Radial
- **TONGUE** - 6" Channel, Full Wrap

#### Popular Upgrades

- Electric/Hydraulic Tilt
- Chain Tray in Tongue
- 4" Channel Flip-Knee Ramps



*Gooseneck Pkg Avail.*



## LPX

### Low Profile Extreme Duty Equipment Trailer

#### Standard Features

- **AVAILABLE SIZES** - 16'x 82", 18'x 82", 20'x 82", 22'x 82", 24'x 82"
- **GVWR** - 14,000 - 24,000 lb
- **AXLES** - 2 - 7,000 lb Drop Super Lube , Self-Adjust Electric Brakes
- **BRAKES** - Electric Drum
- **COUPLER** - 2-5/16" - 15,000 lb Adjustable Cast
- **CROSS-MEMBERS** - 3" Channel on 16" Centers
- **FENDERS** - 14 ga Teardrop, Diamond Plate, Bolt-On
- **FLOOR** - 2" Treated Lumber
- **FRAME** - 8"x10 lb I-Beam Tongue/Frame Design
- **JACK** - 12,000 lb Drop-Leg Jack
- **RAMPS** - 60" Rear Slide-In (3" Channel)
- **TIRES** - ST235/80R16 Radial
- **TONGUE** - 8"x10 lb I-Beam Tongue/Frame Design

#### Popular Upgrades

- 24,000 lb / 18,000 lb / 20,000 lb GVWR Package
- Gooseneck Package
- Max Ramps



*Gooseneck Pkg Avail.*



## GDD

### General Duty Deck-Over Equipment Trailer

#### Standard Features

- **AVAILABLE SIZES** - 14'x 102", 16'x 102", 18'x 102", 20'x 102", 22'x 102", 24'x 102"
- **GVWR** - 7,000 - 9,890 lb
- **AXLES** - 2 - 3,500 lb Super Lube, 2 Electric Brakes
- **COUPLER** - 2" 8,000 lb Adjustable Cast
- **CROSS-MEMBERS** - 3" Channel on 24" Center
- **FLOOR** - 2" Treated Lumber
- **FRAME** - 5"x 2" Rectangle Tube
- **JACK** - 7,000 lb Drop-Leg Jack
- **LACE RAIL** - 5"x2" Rectangle Tube
- **RAMPS** - 60" Rear Slide-In (3" Channel)
- **STAKE POCKETS** - 2" x 1/4" Rub Rail w/Stake Pockets Pipe Spool
- **TIRES** - ST205/75R15 Radial
- **TONGUE** - 5" Channel

#### Popular Upgrades

- 36" Dove w/60" Flip-Knee, Spring-Assisted Ramps
- 1/8" Diamond Plate Floor
- Lockable Steel Tongue Box



## DEC

### Heavy Duty Deck-Over Equipment Trailer

#### Standard Features

- **AVAILABLE SIZES** - 16' x 102", 18' x 102", 20' x 102", 22' x 102", 24' x 102", 26' x 102"
- **GVWR** - 14,900 - 24,000 lb
- **AXLES** - 2 - 7,000 lb Super Lube , Self-Adjust Electric Brakes
- **BRAKES** - Electric Drum
- **COUPLER** - 2-5/16" - 15,000 lb Adjustable Cast
- **CROSS-MEMBERS** - 3" Channel on 16" Center
- **FRAME** - 8" x 10 lb I-Beam
- **JACK** - 12,000 lb Drop-Leg
- **RAMPS** - 96" Rear Slide-In (3" Channel)
- **STAKE POCKETS** - 2" x 3/8" Rub Rail w/Stake Pockets Pipe Spool
- **TIRES** - ST235/80R16 Radial
- **TONGUE** - 8" x 10 lb I-Beam, Integral w/ Frame

#### Popular Upgrades

- 24,000 lb or 18,000 lb GVWR Package
- HD V-Tongue Lid
- 60" Dove with 44" Wide Max Ramps



Gooseneck Pkg Avail.



## DET

### Heavy Duty Deck-Over Tilt Equipment Trailer

#### Standard Features

- **AVAILABLE SIZES** - 20' x 102", 22' x 102", 24' x 102", 26' x 102"
- **GVWR** - 14,900 - 24,000 lb
- **AXLES** - 2 - 7,000 lb Super Lube , Self-Adjust Electric Brakes
- **BRAKES** - Electric Drum
- **COUPLER** - 2-5/16" - 15,000 lb Adjustable Cast
- **CROSS-MEMBERS** - 3" Channel on 16" Center
- **FRAME** - 8" x 10 lb I-Beam
- **JACK** - 12,000 lb Drop-Leg
- **TILT** - Electric/Hydraulic Powered Tilt with Wireless Control
- **STAKE POCKETS** - 2" x 3/8" Rub Rail w/Stake Pockets Pipe Spool
- **TIRES** - ST235/80R16 Radial
- **TONGUE** - 8" x 10 lb I-Beam, Integral w/ Frame

#### Popular Upgrades

- 24,000 lb or 18,000 lb GVWR Package
- Blackwood Floor
- Gooseneck Package



Gooseneck Pkg Avail.



## HDT

### Low Profile Hydraulically Dampened Tilt Equipment Trailer

#### Standard Features

- **AVAILABLE SIZES** - 16' x 82", 18' x 82", 20' x 82", 22' x 82", 24' x 82", 25' x 82"
- **GVWR** - 14,900 - 24,000 lb
- **AXLES** - 2 - 7,000 lb Super Lube , Self-Adjust Electric Brakes
- **BRAKES** - Electric Drum
- **CHARGER** - 110V 5amp Charger Standard w/ Power Tilt Option
- **COUPLER** - 2-5/16" - 15,000 lb Adjustable Cast
- **CROSS-MEMBERS** - 3" Channel on 16" Center
- **FENDERS** - 14 ga Teardrop, Diamond Plate, Bolt-On
- **FRAME** - 8" x 10 lb I-Beam Tongue/Frame Design
- **JACK** - 12,000 lb Drop-Leg
- **TILT** - Hydraulic Dampening Cylinder w/Valve Control
- **TIRES** - ST235/80R16 Radial
- **TONGUE** - 8" x 10 lb I-Beam Tongue/Frame Design

#### Popular Upgrades

- 24,000 lb / 18,000 lb / 20,000 lb GVWR Package
- HD V-Tongue Lid
- 3/16" HD Fenders



Gooseneck Pkg Avail.

## Equipment Trailer Models, cont.



# DSA

## Single Axle Hydraulically Dampened Tilt Equipment Trailer

### Standard Features


- **AVAILABLE SIZES** - 10' x 59", 12' x 59", 10' x 77", 12' x 77"
- **GVWR** - 7,000 lb
- **AXLES** - 7,000 lb Super Lube, Self-Adjust Electric Brake, 4" Drop
- **BUMP RAIL** - 12" Formed Bumper
- **COUPLER** - 2-5/16" - 15,000 lb Adjustable Cast
- **CROSS-MEMBERS** - 3" Channel on 16" Center
- **FENDERS** - 14 ga Diamond Plate, Bolt-On
- **FLOOR** - 1/8" Diamond Plate
- **FRAME** - 5" x 3" x 5/16" Angle Iron
- **JACK** - 2,000 lb Swivel Jack
- **TILT** - Gravity with Manual Jack
- **TIRES** - ST235/80R16 Radial
- **TONGUE** - 6" x 4" Rectangle Tubing

### Popular Upgrades

- Hydraulic Surge Brakes
- Adjustable Pintle Ring
- 3/16" Diamond Plate Floor



Model: LPX



SINGLE AXLE  
UTILITY

TANDEM AXLE  
UTILITY

AUTOMOBILE

EQUIPMENT

GOOSENECK

PINTLE HITCH

DUMP

CUSTOM  
CREATIONS



Check out  
[www.diamondc.com](http://www.diamondc.com)


With our Interactive  
“Build Your Own Trailer” Feature

## HEAVY DUTY DECK-OVER EQUIPMENT TRAILER

Model: DEC

With a 102" bed width and GVWR up to 24,000 lbs, the DEC is ready for just about anything you can throw at it.

BUILD YOUR OWN TRAILER



### Loading Style

Choose Loading Style:

☒ Ramps

☐ Dove Package

### Ramps

☒ 96" Rear Slide-In Ramps (3")





SEE THE DIFFERENCE

BRODUMP v06.20

© Diamond C Trailer Mfg., Road Clipper Enterprises. All illustrations and specifications contained in this brochure are based on the latest product information available at the time of printing. Specifications, standard features, options, components, and colors are subject to change without notice. Some features may be subject to availability, delays, or discontinuance. Trailers shown with optional equipment. Please contact your authorized Diamond C dealer for specifics.

[www.diamondc.com](http://www.diamondc.com)

