# EQUIPMENT LPX | GDD | DEC | DET | HDT | DSA





Do Work. Love Strong.

# **OUR STORY.**







36 years ago a young East Texas couple embarked on a journey that at the time was merely a means to put food on the table for their growing family. Unbeknownst to them, their nature would have an endless impact on the business they would create.

**LOVE STRONG.** From 1981-1984 Kim Crabb worked for a local trailer manufacturer that ultimately went out of business leaving customers without product and workers without a job. With Kim's heart and desire to positively impact people, she embraced Mike's idea to start their own trailer business. Needless to say, they were all in and Diamond C was born.

**DO WORK.** Mike's construction and auto/body background, combined with his grit, knack for quality and resolve to improve customer experience through innovation, quickly set the stage for Diamond C to become a bold brand about much more than just building trailers.

Today, Diamond C is still a family owned and operated company that continues striving to produce innovative, feature-rich trailers. Thus allowing the company to live out its purpose of promoting the well being and success of its team members, customers and communities.

# **Equipment Trailers**

Engineered to take a commercial user beating, our flatbed equipment trailers, tilt trailers, deck-over construction trailers, and skid steer trailers are ideal for your heavy duty jobs that demand superior strength and durability. Keep your equipment on the move with Diamond C.









# MORE OF WHAT YOU WANT.






BLACK



TWO TONE ALUMINUM



24,000 GVWR PACKAGE w/ ALUMINUM WHEELS & 3/16" SUPER HD FENDERS





3 YEAR WARRANTY

**ASSURANCE** 

a 3 year structure warranty.

HD V-TONGUE LID



GOOSENECK PACKAGE AVAILABLE ON LPX, DEC, DET AND HDT





24" WIDE HD FLIP-KNEE RAMPS



MAX RAMPS (AVAILABLE ON MODEL LPX)



#### **Genuine Lippert Super Lube Axles**

For optimal tire wear and longevity, we use only Cambered Axles.

Please contact your authorized Diamond C dealer for questions, additional options, or additional specifications.

OR visit www.diamondc.com to build a trailer to fit your needs.



# EE THE DIFFE

FFERENCE

SEE THE DIF



# SEE THE DIFFERENCE

Our mission is to ensure that each of our trailers are exceptionally durable, beautiful, and enduring.

We strive for extraordinary trailers that are built to last.



# **POWDER COAT**

#### STANDARD COLORS





















SPECIAL COLORS







RED CEMENT METALLIC METALLIC COMMERCIAL INDUSTRIAL LIME DESERT GRAY GRAY SILVER MOCHA BLUE YELLOW GREEN ORANGE **GREEN** TAN











# **LPX**

Low Profile Extreme Duty Equipment Trailer

#### **Standard Features**

- AVAILABLE SIZES 16'x 82", 18'x 82", 20'x 82"22'x 82", 24'x 82", 26'x 82", 28'x 82", 30'x 82"
- GVWR 14,000 24,000 lb
- AXLES 2 7,000 lb Drop Super Lube, Self-Adjust Electric Brakes
- BRAKES Electric Drum
- COUPLER 2-5/16" 15,000 lb Adjustable Cast
- CROSS-MEMBERS 3" I-Beam on 16" Centers
- **FENDERS** 14 ga Teardrop, Diamond Plate, Bolt-On
- FLOOR 2"Treated Lumber
- FRAME 8"x10 lb l-Beam Tongue/Frame Design
- JACK 12,000 lb Drop-Leg Jack
- RAMPS 60" Rear Slide-in (3" Channel)
- TIRES ST235/80R16 Radial
- **TONGUE** 8"x10 lb l-Beam Tongue/Frame Design

#### **Popular Upgrades**

- 24,000 lb / 18,000 lb / 20,000 lb GVWR Package
- Gooseneck Package
- Max Ramps



Gooseneck Pkg Avail.



## **GDD**

General Duty Deck-Over Equipment Trailer

#### **Standard Features**

- AVAILABLE SIZES 14' x 102", 16' x 102", 18' x 102", 20' x 102" 22' x 102", 24' x 102"
- GVWR 7,000 9,890 lb
- AXLES 2 3,500 lb Super Lube, 2 Electric Brakes
- COUPLER 2"8,000 lb Adjustable Cast
- CROSS-MEMBERS 3"I-Beam on 24" Center
- FLOOR 2"Treated Lumber
- FRAME 5"Channel
- JACK 7,000 lb Drop-Leg Jack
- LACE RAIL 5"x2" Rectangle Tube
- RAMPS 82" Rear Slide-in (3" Channel)
- STAKE POCKETS 2"x 1/4" Rub Rail with Stake Pockets and Pipe Spool
- TIRES ST205/75R15 Radial
- TONGUE 5"Channel

#### Popular Upgrades

- 36" Dove with 60" Flip-Knee, Spring-Assisted Ramps
- 1/8" Diamond Plate Floor
- 9,980 GVWR Package



# DEC

Heavy Duty Deck-Over Equipment Trailer

#### **Standard Features**

- AVAILABLE SIZES 16'x 102", 18'x 102", 20'x 102", 22'x 102" 24'x 102", 26'x 102"
- GVWR 14,900 24,000 lb
- AXLES 2 7,000 lb Super Lube, Self-Adjust Electric Brakes
- BRAKES Electric Drum
- COUPLER 2-5/16" 15,000 lb Adjustable Cast
- CROSS-MEMBERS 3"I-Beam on 16" Center
- **FRAME** 8"x 10 lb l-Beam
- JACK 12,000 lb Drop-Leg
- RAMPS 96" Rear Slide-In (3"Channel)
- STAKE POCKETS 2"x 3/8" Rub Rail with Stake Pockets and Pipe Spool
- TIRES ST235/80R16 Radial
- TONGUE 8"x 10 lb I-Beam, Integral with Frame

#### **Popular Upgrades**

- 24,000 lb or 18,000 lb GVWR Package
- HD V-Tongue Lid
- 60" Dove with 44" Wide Max Ramps









Heavy Duty Deck-Over Tilt Equipment Trailer

#### Standard Features

- AVAILABLE SIZES 20'x 102", 22'x 102", 24'x 102", 26'x 102"
- GVWR 14,900 24,000 lb
- AXLES 2 7,000 lb Super Lube, Self-Adjust Electric Brakes
- BRAKES Electric Drum
- **COUPLER -** 2-5/16" 15,000 lb Adjustable Cast
- CROSS-MEMBERS 3"I-Beam on 16" Center
- FRAME 8" x 10 lb l-Beam
- **JACK** 12,000 lb Drop-Leg
- TILT Electric/Hydraulic Powered Tilt with Wireless Control
- STAKE POCKETS 2"x 3/8" Rub Rail with Stake Pockets and Pipe Spool
- TIRES ST235/80R16 Radial
- TONGUE 8"x 10 lb l-Beam, Integral with Frame

#### **Popular Upgrades**

- 24,000 lb or 18,000 lb GVWR Package
- 10,000 lb Hydraulic Jack
- · Gooseneck Package



Gooseneck Pkg Avail.



### **HDT**

Low Profile Hydraulically Dampened Tilt Equipment Trailer

#### **Standard Features**

- AVAILABLE SIZES 16'x 82", 18'x 82", 20'x 82", 22'x 82" 24'x 82", 25'x 82", 26'x 82", 28'x 82"
- GVWR 14,900 24,000 lb
- AXLES 2 7,000 lb Torsion Brake Axles
- BRAKES Electric Drum
- CHARGER 110V 5amp Charger Standard with Power Tilt Option
- COUPLER 2-5/16" 21,000 lb Demco EZ-Latch Adjustable
- CROSS-MEMBERS 3"I-Beam on 16" Center
- FENDERS 14 ga Teardrop, Diamond Plate, Bolt-On
- FRAME 8"x 10 lb I-Beam Tongue/Frame Design\*
- JACK 12,000 lb Drop-Leg
- TILT Hydraulic Dampening Cylinder with Valve Control
- TIRES ST235/80R16 Radial
- TONGUE 8"x 10 lb I-Beam Tongue/Frame Design\*

\*Engineered Beam Frame standard on GVWR upgrades over 20'

#### **Popular Upgrades**

- 24,000 lb / 18,000 lb / 20,000 lb GVWR Package
- 3/16" Diamond Plate Fenders
- Electric-Over-Hydraulic Disc Brakes



Gooseneck Pkg Avail.



## DSA

Single Axle Hydraulically Dampened Tilt Equipment Trailer

#### **Standard Features**


- AVAILABLE SIZES 10'x 59", 12'x 59", 10'x 77", 12'x 77"
- GVWR 7,000 lb
- AXLES 7,000 lb Super Lube, Self-Adjust Electric Brake, 4" Drop
- BUMP RAIL 12" Formed Bumper
- COUPLER 2-5/16" 15,000 lb Adjustable Cast
- CROSS-MEMBERS 3"Channel on 16"Center
- FENDERS 14 ga Diamond Plate, Bolt-On
- FLOOR 1/8" Diamond Plate
- FRAME 5"x 3"x 5/16" Angle Iron
- JACK 2,000 lb Swivel Jack
- TILT Gravity with Manual Jack
- TIRES ST235/80R16 Radial
- TONGUE 6" x 4" Rectangle Tubing

#### **Popular Upgrades**

- Hydraulic Surge Brakes
- Adjustable Pintle Ring
- 3/16" Diamond Plate Flooring









#### BROEOUIP v7.21

© Diamond C Trailer Mfg., Road Clipper Enterprises. All illustrations and specifications contained in this brochure are based on the latest product information available at the time of printing. Specifications, standard features, options, components, and colors are subject to change without notice. Some features may be subject to availability, delays, or discontinuance. Trailers shown with optional equipment. Please contact your authorized Diamond C dealer for specifics.

www.diamondc.com







